Journal of Biochemical and Biophysical Methods, 21 (1990) 354–356
Elsevier

Author Index

Antonov, P., Pancheva, R. and Naplatarova, M.
Membrane-related thermo-osmotic effect as measured by medium conductivity in isotonic cell suspensions (21) 285

Aroca, P., Solano, F., García-Borrón, J.C. and Lozano, J.A.
A new spectrophotometric assay for dopachrome tautomerase (21) 35

Ashihara, H., Yabuki, N. and Mitsui, K.
A high-performance liquid chromatography method for separation of purine bases, nucleosides and ureides: application to studies on purine catabolism in higher plants (21) 59

Benga, G., Pop, V.I., Popescu, O. and Borza, V.
On measuring the diffusional water permeability of human red blood cells and ghosts by nuclear magnetic resonance (21) 87

Bernard, T., see Talibart, R. (21) 155

Bertrand, O., see El Ouggouti, S. (21) 299

Blasie, J.K., see DeLong, L.J. (21) 333

Borza, V., see Benga, G. (21) 87

Bussel, A., see El Ouggouti, S. (21) 299

Cameselle, J.C., see Costas, M.J. (21) 25

Canales, J., see Costas, M.J. (21) 25

Cantisani, A., Napolitano, L., Giuffrida, M.G. and Conti, A.
Direct identification and characterization of llama (*Lama glama* L.) whey proteins by microsequencing after Western blotting (21) 227

Celis, H., see Hilario, E. (21) 197

Champney, W.S., see Mehrpouyan, M. (21) 289

Chang, G.-G., see Kam, P.-L. (21) 115

Chattopadhyaya, J., see Glemarec, C. (21) 311

Chaubal, K.A., see Subramaniam, H.N. (21) 17

Chaubal, K.A., see Subramaniam, H.N. (21) 9

Cherny, V.V., see Mirsky, V.M. (21) 277

Chiari, M., Pagani, L., Righetti, P.G., Jain, T., Shorr, R. and Rabilloud, T.
Synthesis of an hydrophilic, p*K* 8.05 buffer for isoelectric focusing in immobilized pH gradients (21) 165

Conti, A., see Cantisani, A. (21) 227

Costas, M.J., Pinto, R.M., Fernández, A., Canales, J., García-Agúndez, J.A. and Cameselle, J.C.
Purification to homogeneity of rat liver dinucleoside tetraphosphatase by affinity elution with adenosine 5′-tetraphosphate (21) 25

DeLong, L.J., Phillips, C.M., Kaplan, J.H., Scarpa, A. and Blasie, J.K.
A new method for monitoring the kinetics of calcium binding to the sarcoplasmic reticulum Ca^{2+}-ATPase employing the flash-photolysis of caged-calcium (21) 333

Desoye, G.
Measurement of non-specific binding by parallel or consecutive incubation procedures in receptor homogenates following tissue disintegrations by sonification (21) 69

Dhermy, D., see El Ouggouti, S. (21) 299

Eaker, D., see Persson, B. (21) 341

El Ouggouti, S., Truskolaski, A., Bussel, A., Dhermy, D. and Bertrand, O.
A low-cost automated device incorporating a hollow fiber filtration cartridge for large-scale production of ghosts from human erythrocytes (21) 299

Endo, M., see Takagaki, K. (21) 209

Fernández, A., see Costas, M.J. (21) 25

Gabibov, A.G., see Gololobov, G.V. (21) 267

García-Agúndez, J.A., see Costas, M.J. (21) 25

García-Borrón, J.C., see Aroca, P. (21) 35

Gianazza, E., see Sinha, P.K. (21) 173

Giuffrida, M.G., see Cantisani, A. (21) 227

Glemarec, C., Nyilas, Á., Sund, C. and Chattopadhyaya, J.
A comparative conformational study of thymidylyl(3′ → 5′)-thymidine, thymidylyl(3′ → 5′)-5′-thio-5′-deoxythymidine and thymidinylacetamido-[3′(O) → 5′(C)]-5′- deoxythymidine (21) 311

0165-022X/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Gololobov, G.V., Shuster, A.M., Zalite, I.K., Gabibov, A.G. and Rabinkov, A.G.
Avidin-peroxidase: synthesis and HPLC isolation of highly sensitive oligomers (21) 267

Hanssens, M., Keirse, M.J.N.C., Lijnen, P.J., Kucharski, M.-J., Luyten, C. and Van Assche, F.A.
Measurement of individual angiotensin peptides by HPLC-RIA (21) 103
Hanukoglu, I.
Elimination of non-specific binding in Western blots from non-reducing gels (21) 65
Hatakeyama, M., see Nunomura, W. (21) 75
Hilario, E., Romero, I. and Celis, H.
Determination of the physicochemical constants and spectrophotometric characteristics of the metallochromic Zincon and its potential use in biological systems (21) 197
Hirai, H., see Nunomura, W. (21) 75
Huang, T.-M., see Kam, P.-L. (21) 115

Jain, T., see Chiari, M. (21) 165
Joss, U.R. and Schleinkofer, L.
Detection of radioactivity on microtiterplates in situ using a photon-counting imager (21) 217
Jungblut, P.R. and Seifert, R.
Analysis by high-resolution two-dimensional electrophoresis of differentiation-dependent alterations in cytosolic protein pattern of HL-60 leukemic cells (21) 47

Kam, P.-L., Huang, T.-M., Shiao, M.-S., Lin, L.-J. and Chang, G.-G.
Oxidation and cleavage of 3-aminopyridine adenine dinucleotide phosphate with periodate (21) 115
Kaplan, J.H., see DeLong, L.J. (21) 333
Kawasaki, H., see Takagaki, K. (21) 209
Keirse, M.J.N.C., see Hanssens, M. (21) 103
Kirpotin, D.B., see Tsygankov, A.Y. (21) 145
Kon, A., see Takagaki, K. (21) 209
Köttgen, E., see Sinha, P.K. (21) 173
Kucharski, M.-J., see Hanssens, M. (21) 103

Le Hénaff, M., see Talibart, R. (21) 155
Lewis, W.S. and Schuster, S.M.
Quantitation of immobilized proteins (21) 129
Lijnen, P.J., see Hanssens, M. (21) 103
Lin, L.-J., see Kam, P.-L. (21) 115
Lozano, J.A., see Aroca, P. (21) 35
Luyten, C., see Hanssens, M. (21) 103

Markin, V.S., see Mirsky, V.M. (21) 277
Masuyama, E., see Nakamura, K.-i. (21) 237
Mehrpouyan, M. and Champney, W.S.
A rapid method for the purification of RNA polymerase holoenzyme from *Escherichia coli* (21) 289
Mirsky, V.M., Cherny, V.V., Sokolov, V.S. and Markin, V.S.
Electrostatic assay of phospholipase A activity: an application of the second harmonic method of monitoring membrane boundary potentials (21) 277
Mitsui, K., see Ashihara, H. (21) 59
Motorin, Y.A., see Tsygankov, A.Y. (21) 145

Nakamura, K.-i., Masuyama, E., Wada, S. and Okuno, M.
Application of stains-all staining to the analysis of axonemal tubulins: identification of β-tubulin and β-isotubulins (21) 237
Nakamura, T., see Takagaki, K. (21) 209
Naplatarova, M., see Antonov, P. (21) 285
Napolitano, L., see Cantisani, A. (21) 227
Nunomura, W., Hatakeyama, M. and Hirai, H.
Purification of human C-reactive protein by immunoaffinity chromatography using mouse monoclonal antibody (21) 75
Nyilas, Á., see Glemarec, C. (21) 311

Ohishi, S., see Takagaki, K. (21) 209
Okuno, M., see Nakamura, K.-i. (21) 237

Pagani, L., see Chiari, M. (21) 165
Pancheva, R., see Antonov, P. (21) 285
Pastan, I., see Tyagi, J.S. (21) 1
Persson, B. and Eaker, D.
An optimized procedure for the separation of amino acid phenylthiohydantoins by reversed-phase HPLC (21) 341
Phillips, C.M., see DeLong, L.J. (21) 333
Pinto, R.M., see Costas, M.J. (21) 25
Pop, V.I., see Benga, G. (21) 87
Popescu, O., see Benga, G. (21) 87
Praus, M., see Sinha, P.K. (21) 173

Rabilloud, T., see Chiari, M. (21) 165
Rabinkov, A.G., see Gololobov, G.V. (21) 267
Righetti, P.G., see Chiari, M. (21) 165
Righetti, P.G., see Sinha, P.K. (21) 173
Romero, I., see Hilario, E. (21) 197

Sanzo, M.A.
The use of competitive affinity chromatography for the isolation of proteins which promote transcription (21) 185

Scarpa, A., see DeLong, L.J. (21) 333
Schleinkofer, L., see Joss, U.R. (21) 217
Schuster, S.M., see Lewis, W.S. (21) 129
Seifert, R., see Jungblut, P.R. (21) 47
Shiao, M.-S., see Kam, P.-L. (21) 115
Shorr, R., see Chiari, M. (21) 165
Shuster, A.M., see Gololobov, G.V. (21) 267
Silberstein, A., see Tal, M. (21) 247
Sinha, P.K., Praus, M., Köttgen, E., Gianazza, E. and Righetti, P.G.
Two-dimensional maps in the most extended (pH 2.5–11) immobilized pH gradient interval (21) 173
Sokolov, V.S., see Mirsky, V.M. (21) 277
Solano, F., see Aroca, P. (21) 35
Subramaniam, H.N. and Chaubal, K.A.
Effect of γ-irradiation on lipid content and survival of Human Amnion cells in culture (21) 17
Subramaniam, H.N. and Chaubal, K.A.
Evaluation of intracellular lipids by standardized staining with a Sudan black B fraction (21) 9
Sund, C., see Glemarec, C. (21) 311

Takagaki, K., Nakamura, T., Kawasaki, H., Kon, A., Ohishi, S. and Endo, M.
Determination of the reducing terminal sugars of glycosaminoglycans using 2-aminopyridine (21) 209
Tal, M., Weissman, I. and Silberstein, A.
A new method for stoichiometric analysis of proteins in complex mixture – reevaluation of the stoichiometry of *E. coli* ribosomal proteins (21) 247
Talibart, R., Le Hénaff, M., Bernard, T. and Wróblewski, H.
Identification of bacterial periplasmic glycine betaine-binding protein after electrophoresis and affinity labeling (21) 155
Truskolaski, A., see El Ouggouti, S. (21) 299
Tsygankov, A.Y., Motorin, Y.A., Wolfson, A.D. and Kirpotin, D.B.
Adaptation of an HPLC system for transient-state enzyme kinetic experiments: pulse-flow method (21) 145
Tyagi, J.S. and Pastan, I.
Purification of calf thymus RNA polymerase II for in vitro transcription studies (21) 1

Van Assche, F.A., see Hanssens, M. (21) 103

Wada, S., see Nakamura, K.-i. (21) 237
Weissman, I., see Tal, M. (21) 247
Wolfson, A.D., see Tsygankov, A.Y. (21) 145
Wróblewski, H., see Talibart, R. (21) 155

Yabuki, N., see Ashihara, H. (21) 59

Zalite, I.K., see Gololobov, G.V. (21) 267

Journal of Biochemical and Biophysical Methods, 21 (1990) 357–358
Elsevier

Subject Index

Adenosine 5′-tetraphosphate, (21) 25
Affinity chromatography, (21) 25; (21) 185; (21) 289
Affinity labeling, (21) 155
2-Aminopyridine, (21) 209
Angiotensin II, (21) 103
Angiotensin metabolite, (21) 103
Automated assays, (21) 145
Automation, (21) 299
Autoradiography, (21) 155
Avidin-biotin system, (21) 267
Axoneme, (21) 237

Bilayer lipid membrane, (21) 277
Boundary potential, (21) 277

C-reactive protein, (21) 75
Crossed immunoelectrophoresis, (21) 155
Cross flow filtration, (21) 299
Cytochrome P450, (21) 65
Cytophotometry, (21) 9

1,25-dihydroxyvitamin D_3, (21) 47
Diadenosine tetraphosphate, (21) 25
Dialdehyde 3-aminopyridine adenine dinucleotide phosphate, (21) 115
Differentiation, (21) 47
Dinucleoside Polyphosphate, (21) 25
Dinucleoside tetraphosphatase, (21) 25
Divalent cation, (21) 197
DM-nitrophen, (21) 333
DNA-binding protein, (21) 185
Double diffusion test, (21) 75

E. coli, (21) 247
Electrophoresis, (21) 65
ELISA, (21) 75
Enzyme assay, (21) 277
Enzyme kinetics, (21) 145
Erythrocyte membrane, (21) 299
Eukaryotic gene transcription, (21) 185

Flash-photolysis, (21) 333

β-Galactosidase, (21) 145
Glycine betaine-binding protein, (21) 155
Glycoconjugate, (21) 267
Glycosaminoglycan, (21) 209

High-pressure liquid chromatography, (21) 103
Hollow fiber, (21) 299
HPLC, (21) 59; (21) 267; (21) 341
HPLC-RIA, (21) 103
Human, (21) 87
Human erythrocyte, (21) 285
Human neutrophils, (21) 47
Human placenta, (21) 69

Immobilized pH gradient, (21) 165; (21) 173
Immunoaffinity chromatography, (21) 75
Insulin, (21) 69
Interleukin-1, (21) 217
γ-Irradiation, (21) 17
Isoelectric focusing, (21) 165; (21) 173; (21) 237

Ligand binding, (21) 69
Llama, (21) 227

Medium conductivity, (21) 285
Membrane, (21) 197
Membrane receptor, (21) 69
Metallochromic, (21) 197
Mg^{2+}-activation, (21) 145
Microsequencing, (21) 227
Microtiter plate, (21) 217
Monoclonal antibody, (21) 75

Neutral lipid, (21) 9; (21) 17
Nuclear magnetic resonance, (21) 87
Nucleotide dialdehyde, (21) 115

Optimization, (21) 341
Oxidized nucleotide, (21) 115

Periodate oxidation, (21) 115
Periodate-oxidized 3-aminopyridine adenine dinucleotide phosphate, (21) 115

0165-022X/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Periplasmic protein, (21) 155
Phosphohydrolase, (21) 25
Phospholipase A, (21) 277
Photon counting imaging, (21) 217
Plant protoplast, (21) 285
Plasma, (21) 103
Protein, (21) 129
Protein mixture, (21) 247
PTH-amino acid, (21) 341
Pulse-flow method, (21) 145
Purification, (21) 75
Purine basis, (21) 59
Purine catabolism, (21) 59
Purine nucleoside, (21) 59

Quantitation, (21) 129

Radioimmuno assay, (21) 217
Radiosensitization, (21) 17
Receptor test, (21) 217
Red blood cells, (21) 87
Reducing terminal, (21) 209
Retinoic acid, (21) 47
Rhizobium meliloti, (21) 155
Ribosomal protein, (21) 247
RNA polymerase, (21) 1
RNA polymerase holoenzyme, (21) 289
RNA polymerase purification, (21) 289

Sarcoplasmic reticulum, (21) 333
Scintillator, (21) 217
SDS-polyacrylamide gel electrophoresis, (21) 237
Silver staining, (21) 47
Sonification, (21) 69
Spectrophotometry, (21) 197
Stains-all, (21) 237
Stoichiometric analysis, (21) 247
Sudan black B, (21) 9
Surface potential, (21) 277

Thermo-osmotic effect, (21) 285
Thymidinylacetamido-[3′(O) → 5′(C)]-5′-deoxythymidine, (21) 311
Thymidylyl(3′ → 5′)-5′-thio-5′-deoxythymidine, (21) 311
Thymidylyl(3′ → 5′)thymidine, (21) 311
Tissue disintegration, (21) 69
Tissue homogenization, (21) 69
Transcription, (21) 1
T7 transcription assay, (21) 289
Tubulin, (21) 237
Two-dimensional electrophoresis, (21) 47
Two-dimensional map, (21) 173

Ureide, uric acid, (21) 59

Water diffusion, (21) 87
Western blotting, (21) 227
Whey protein, (21) 227

Zinc ion, (21) 197
Zincon, (21) 197